

**EAST Search History**

<b>Ref #</b>	<b>Hits</b>	<b>Search Query</b>	<b>DBs</b>	<b>Default Operator</b>	<b>Plurals</b>	<b>Time Stamp</b>
L1	24388	fault near3 toler\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:10
L2	2087	fault near3 toler\$5 manager with application	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:11
L3	998	fault near3 toler\$5 manager with application (rollback or roll adj back or abort\$3 or (add \$3 or delet\$3 or remov\$3 or insert\$3) near3 (user or participant or customer or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:14
L4	696	(redundan\$3 or (cold or hot) near3 (swap or swappable or spare)) fault near3 toler\$5 manager with application (rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) near3 (user or participant or customer or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:15
L5	4876	(redundan\$3 or (cold or hot) near3 (swap or swappable or spare) or fault near3 toler\$5) (supervisor or admin or root or manager) with application (rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) near3 (user or participant or customer or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:16
L6	3768	(redundan\$3 or (cold or hot) near3 (swap or swappable or spare) or fault near3 toler\$5) (supervisor or admin or root or manager) with application (rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) near3 (user or participant or customer or subscriber)) (permit or permission or restrict or restriction or security near3 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:16

L7	68	(redundan\$3 or (cold or hot) near3 (swap or swappable or spare) or fault near3 toler\$5) (supervisor or admin or root or manager) with application (rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) near3 (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:17
L8	3	(redundan\$3 or (cold or hot) near3 (swap or swappable or spare) or fault near3 toler\$5) transaction near3 (supervisor or admin or root or manager) with application (rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) near3 (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:18
L9	9	(redundan\$3 or (cold or hot) near3 (swap or swappable or spare) or fault near3 toler\$5) (transact or transaction or deposit\$3 or withdraw\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3)) near3 (supervisor or admin or root or manager) with application (undo\$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) near3 (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:20

L10	16	(redundan\$3 or (cold or hot) near3 (swap or swappable or spare) or fault near3 toler\$5) (transact or transaction or deposit\$3 or withdraw\$3 or (add \$3 or delet\$3 or remov\$3 or insert\$3)) with (supervisor or admin or root or manager) with application (undo\$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) near3 (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:21
L11	19	(redundan\$3 or (cold or hot) near3 (swap or swappable or spare) or fault near3 toler\$5) (transact or transaction or deposit\$3 or withdraw\$3 or (add \$3 or delet\$3 or remov\$3 or insert\$3)) with (supervisor or admin or root or manager) with application (undo\$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) with (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:22
L12	0	11 kumar.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:22

L13	2	read with write with (lock or semaphore or mutex) with (freez\$3 or paus\$3) (transact or transaction or deposit\$3 or withdraw\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3)) with (supervisor or admin or root or manager) with application (undo\$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) with (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:24
L14	2	read write with (lock or semaphore or mutex) with (freez\$3 or paus\$3) (transact or transaction or deposit\$3 or withdraw\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3)) with (supervisor or admin or root or manager) with application (undo\$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) with (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:49

L15	2	read write (lock or semaphore or mutex) with (freez\$3 or paus\$3) (transact or transaction or deposit\$3 or withdraw\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3)) with (supervisor or admin or root or manager) with application (undo\$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) with (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:49
L16	2	"5983326".pn. or "4502116".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:50
L17	4	"5983326".pn. or "4502116".pn. or "6225995".pn. or "6728958".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:51
L18	2	(lock or semaphore or mutex) with (halt\$3 or freez\$3 or paus\$3) (read or write or stop or stopping or halt or paus\$3 transact or transaction or deposit\$3 or withdraw\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3)) with (supervisor or admin or root or manager) with application (undo\$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) with (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:56

L19	23	(lock or semaphore or mutex or test near3 set or mutual near3 exclusion or critical near3 section) same (block\$3 or halt\$3 or freez\$3 or paus\$3) (read or write or stop or stopping or halt or paus\$3 transact or transaction or deposit\$3 or withdraw\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3)) with (supervisor or admin or root or manager) with application (undo\$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) with (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:57
L20	38	(lock or semaphore or mutex or test near3 set or mutual near3 exclusion or critical near3 section) (block\$3 or halt\$3 or freez\$3 or paus\$3) (read or write or stop or stopping or halt or paus\$3 or transact or transaction or deposit\$3 or withdraw\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3)) with (supervisor or admin or root or manager) with application (undo\$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) with (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:57

L21	38	(lock or semaphore or mutex or test near3 set or mutual near3 exclusion or critical near3 section) (block\$3 or halt\$3 or freez\$3 or frozen or paus\$3) (read or write or stop or stopping or halt or paus\$3 or transact or transaction or deposit \$3 or withdraw\$3 or (add\$3 or delet\$3 or remov\$3 or insert \$3)) with (supervisor or admin or root or manager) with application (undo\$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) with (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:58
L22	16	(lock or semaphore or mutex or test near3 set or mutual near3 exclusion or critical near3 section) (delay\$3 or halt\$3 or freez\$3 or frozen or paus\$3) (read or write or stop or stopping or halt or paus\$3 or transact or transaction or deposit \$3 or withdraw\$3 or (add\$3 or delet\$3 or remov\$3 or insert \$3)) with (supervisor or admin or root or manager) with application (undo\$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) with (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:59

L23	3	(lock or semaphore or mutex or test near3 set or mutual near3 exclusion or critical near3 section) with (block\$3 or delay \$3 or halt\$3 or freez\$3 or frozen or paus\$3) (read or write or stop or stopping or halt or paus\$3 or transact or transaction or deposit\$3 or withdraw\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3)) with (supervisor or admin or root or manager) with application (undo\$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) with (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/24 23:59
L24	23	(lock or semaphore or mutex or test near3 set or mutual near3 exclusion or critical near3 section) same (block\$3 or delay \$3 or halt\$3 or freez\$3 or frozen or paus\$3) (read or write or stop or stopping or halt or paus\$3 or transact or transaction or deposit\$3 or withdraw\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3)) with (supervisor or admin or root or manager) with application (undo\$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) with (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/25 00:00



L25	31	(lock or semaphore or mutex or test near3 set or mutual near3 exclusion or critical near3 section) same (block\$3 or delay \$3 or halt\$3 or freez\$3 or frozen or paus\$3) (read or write or stop or stopping or halt or paus\$3 or transact or transaction or deposit\$3 or withdraw\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3)) with (supervisor or admin or root or manager or controller or coordinator or service or daemon) with (app or application or program) (undo \$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) with (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/25 00:01
L26	9	(lock or semaphore or mutex or test near3 set or mutual near3 exclusion or critical near3 section) same (block\$3 or delay \$3 or halt\$3 or freez\$3 or frozen or paus\$3) (read or write or stop or stopping or halt or paus\$3 or transact or transaction or deposit\$3 or withdraw\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3)) with (supervisor or admin or root or manager or controller or coordinator or service or daemon) with (app or application or program) (undo \$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) with (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting) @ad<"20030715"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/25 00:02

L27	4	(lock or semaphore or mutex or test near3 set or mutual near3 exclusion or critical near3 section) same (block\$3 or delay \$3 or halt\$3 or freez\$3 or frozen or paus\$3) (read or write or stop or stopping or halt or paus\$3 or transact or transaction or deposit\$3 or withdraw\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3)) with (supervisor or admin or root or manager or controller or coordinator or service or daemon) with (app or application or program) (undo \$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) with (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting) @ad<"20030715" database	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/25 00:03
L28	6	(lock or semaphore or mutex or test near3 set or mutual near3 exclusion or critical near3 section) same (block\$3 or delay \$3 or halt\$3 or freez\$3 or frozen or paus\$3) (read or write or stop or stopping or halt or paus\$3 or transact or transaction or deposit\$3 or withdraw\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3)) with (supervisor or admin or root or manager or controller or coordinator or service or daemon) with (app or application or program) (undo \$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) with (user or participant or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting) @ad<"20030715" (db	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/25 00:05

		or database or repository or databank or data near3 bank)				
L29	6	(lock or semaphore or mutex or test near3 set or mutual near3 exclusion or critical near3 section) same (block\$3 or delay \$3 or halt\$3 or freez\$3 or frozen or paus\$3) (read or write or stop or stopping or halt or paus\$3 or transact or transaction or deposit\$3 or withdraw\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3)) with (supervisor or admin or root or manager or controller or coordinator or service or daemon) with (app or application or program) (undo \$3 or rollback or roll adj back or abort\$3 or (add\$3 or delet\$3 or remov\$3 or insert\$3) with (user or participant or consumer or customer or subscriber)) (supervisor or admin or root or manager) with (adjust\$3 or chang\$3 or modify or modified or modifying or tighten or loosen) with (permit or permission or restrict or restriction or security near3 setting) @ad<"20030715" (db or database or repository or databank or data near3 bank)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/25 00:05

10/25/2008 12:43:58 AM

C:\Documents and Settings\jwong4\My Documents\EAST\Workspaces\kumar-a1.wsp